




Series 6800L Automatic Sampler

Diverter Style Bulk Sampler
Large Spouts & High Flow Rates

Seal doors remove for easy
access & inspection



Multiple Lining Options

Suitable for use below
bulk weighing system

Access doors open
to make chain drive
adjustments easy

Can be used
in hazardous
location

Large access
door allows for
maintenance
access

Leak proof &
dust proof

- Ideal for use with all grains.
- Accommodates spout size from 17" to 31" & flow rates from 20,000 to 76,000 BPH.
- Accessories available to create an integrated FGIS approvable system.

Designed to Provide Years of Reliability

Gamet Manufacturing Inc.

Email: info@gametmfg.com

Toll Free: 888-647-5475

www.gametmfg.com

Mailing Address:

7400 Boone Ave N

Brooklyn Park, MN 55428


Series 6800L

Gamet®

Vertical Application

Sampler Lining Options:


- Ceramic Tile
- Urethane
- Kryptane



Angular Application

Sampler Lining Options:

- Ceramic Tile
- Urethane
- Kryptane



The Gamet 6800L Spout Style Sampling System is ideal for applications that require official sampling grades. This system is designed for mid to high flow rates. Uses include rail, barge, or ship loading of grain or grain related products. Our engineers and sales team are available to review your specific needs and help you select the proper equipment and accessories for your application.



Series 6800L


System Accessories

Divider

- Up to Four Discharge Spout Available.
- Reduces Sample to 4% of Throughput.
- Suitable for Use with all Grain & Meal Products.





Long Distance
Conveying



Pneumatic System

- Convey Product Samples up to 800 ft.
- Variable Frequency Drive Available.
- Suitable for Use with all Grain & Meal Products.

Series 6800L



Dimension Data by Spout Size

| | 17"-19" | 20"-22" | 23"-25" | 26"-28" | 29"-31" |
|----------|---------|---------|---------|---------|---------|
| A | 60" | 64.25" | 70" | 76" | 82" |
| B | 44" | 49" | 55" | 61" | 67" |
| C | 29.25" | 32.25" | 35.25" | 38.25" | 41.25" |

Flow Rates by Spout Size

| | 17" | 18" | 19" | 20" | 21" | 22" | 23" |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| Angular TPH | 566 | 635 | 708 | 784 | 864 | 949 | 1037 |
| Angular BPH | 20230 | 22680 | 25270 | 28000 | 30870 | 33880 | 37030 |
| Vertical TPH | 647 | 726 | 809 | 896 | 988 | 1084 | 1185 |
| Vertical BPH | 23120 | 25920 | 28880 | 32000 | 35280 | 38720 | 42320 |

| | 24" | 25" | 26" | 27" | 28" | 29" | 30" | 31" |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Angular TPH | 1129 | 1225 | 1325 | 1429 | 1537 | 1648 | 1764 | 1884 |
| Angular BPH | 40320 | 43750 | 47320 | 51030 | 54880 | 58870 | 63000 | 67270 |
| Vertical TPH | 1290 | 1400 | 1514 | 1633 | 1756 | 1884 | 2016 | 2153 |
| Vertical BPH | 46080 | 50000 | 54080 | 58320 | 62720 | 67280 | 72000 | 76880 |

**Proudly
Made in
the USA**



Tons per hour (TPH) calculated on density of 48 lbs/cubic foot (Ton = 2,000 lbs)
Bushels per hour (BPH) calculated at 56 pounds per bushel.

Gamet Manufacturing Inc.

Email: info@gametmfg.com

Toll Free: 888-647-5475

www.gametmfg.com

Mailing Address:

7400 Boone Ave N
Brooklyn Park, MN 55428